



ES EN DE FR IT PT PL RU



SHARPENING WELDING FILTRATION CLEANING CONSUMABLES CATALOG BLOG

ELITE LAVAmag 1150

Cleaning, drying and corrosion protection in a single process

Complete cleaning of the tools with automatic drying

Maximum Load: 350 Kg.

Can clean 2 stacks of big saw blades (>Ø400 mm.)



The Elite LAVAmag 1150 provides a tool cleaning system that will save you a lot of operator time. Insert dirty tools such as circular saws, blades or milling cutters into the machine and within 10 to 15 minutes they will be completely clean, dry and protected against corrosion.

The cleaned tool is ready to be introduced into the grinder without contaminating the coolant.

It allows to clean saws and tools up to a diameter of 1150 mm.

You can also insert the already sharpened tools for 1 minute so that they receive a corrosion protection that is completely dry and unnoticed.



Loading of tools



Circular saw blades cleaned

Optional accessories

- Vapor exhaust
 - Automatic filler for the tank
 - Automatic drain of the tank
 - Automatic oil separator
 - Grid for the placement of discs
-

SPECIFICATIONS

Technical data

Maximum tool dimensions	ø1150×700 mm. (Diameter x Height)
Maximum tool weight	350 kg
Cleaning temperature	up to 60°C
Pump	170 l/min and 3,5 bar
Water tank capacity	270 liters
Connection	400V or 220V 3 Ph. 50/60 Hz.

Available versions

Model	Net size	Packing weight
LAVAmaq 1150	1800 x 1550 x 2140 mm.	300 Kg.

HIGHLIGHTS

- Machine made of high quality stainless steel plate with 2 mm. thickness
- Adjustable water heating temperature up to 60°C
- Programmable timer from 1 to 30 minutes of the washing cycle
- Biodegradable detergent with tool corrosion protection
- Optional motorization of the tool carriage
- Draining system for quick and easy change of the liquid

We reserve the right to make design changes in the interest of technical progress.

www.elite.es
